



[DBPR HOME](#) |
 [ABOUT DBPR](#) |
 [DBPR DIVISIONS](#) |
 [CONTACT DBPR](#)

[BCIS Home](#) |
 [Log In](#) |
 [User Registration](#) |
 [Hot Topics](#) |
 [Submit Surcharge](#) |
 [Stats & Facts](#) |
 [Publications](#) |
 [FBC Staff](#) |
 [BCIS Site Map](#) |
 [Links](#) |
 [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL11480-R9								
Application Type	Revision								
Code Version	2014								
Application Status	Approved								
Comments									
Archived	<input type="checkbox"/>								
Product Manufacturer	Solatube International, Inc								
Address/Phone/Email	2210 Oak Ridge Way Vista, CA 92081 (760) 597-4427 tanderson@solatube.com								
Authorized Signature	Todd Anderson tanderson@solatube.com								
Technical Representative	Todd Anderson								
Address/Phone/Email	2210 Oak Ridge Way Vista, CA 92081 (760) 597-4427 tanderson@solatube.com								
Quality Assurance Representative									
Address/Phone/Email									
Category	Sky Lights								
Subcategory	Skylight								
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received								
Florida Engineer or Architect Name who developed the Evaluation Report	Robert J. Amoruso, P.E.								
Florida License	PE-49752								
Quality Assurance Entity	Keystone Certifications, Inc.								
Quality Assurance Contract Expiration Date	05/30/2018								
Validated By	Steven M. Urlich, PE <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received								
Certificate of Independence	FL11480_R9_COI_CI_2396_Rev0_415-0316_M74_DS_Curb Mount_Open Ceiling_ss.pdf FL11480_R9_COI_CI_2397_Rev0_415-0316_M74_DS_Curb Mount with Amplifier_ss.pdf FL11480_R9_COI_CI_2399_Rev0_Solatube_160_290_DS_TDD_ss.pdf FL11480_R9_COI_CI_2400_Rev0_Solatube_330_750_DS_TDD_ss.pdf FL11480_R9_COI_CofI_1971_Rev3_415-0316_SOLA0004_ss.pdf FL11480_R9_COI_CofI_1973_Rev2_415-0316_SOLA0005_ss.pdf FL11480_R9_COI_CofI_2167_Rev2_415-0316_SOLA0008_ss.pdf								
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th>Standard</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>AAMA/WDMA/CSA 101/I.S.2/A440</td> <td>2011</td> </tr> <tr> <td>ASTM E1886</td> <td>2005</td> </tr> <tr> <td>ASTM E1996</td> <td>2012</td> </tr> </tbody> </table>	Standard	Year	AAMA/WDMA/CSA 101/I.S.2/A440	2011	ASTM E1886	2005	ASTM E1996	2012
Standard	Year								
AAMA/WDMA/CSA 101/I.S.2/A440	2011								
ASTM E1886	2005								
ASTM E1996	2012								

ASTM E283	2004
ASTM E330	2002
ASTM E331-00(09)	2000
TAS 201	1994
TAS 202	1994
TAS 203	1994

Equivalence of Product Standards
Certified By

Florida Licensed Professional Engineer or Architect
[FL11480 R9 Equiv EER 1971 Rev3 415-0316 SOLA0004 ss.pdf](#)
[FL11480 R9 Equiv EER 1973 Rev2 415-0316 SOLA0005 ss.pdf](#)
[FL11480 R9 Equiv EER 2167 Rev2 415-0316 SOLA0008 ss.pdf](#)
[FL11480 R9 Equiv EER 2396 Rev0 415-0316 M74 DS Curb Mount Open Ceiling ss.pdf](#)
[FL11480 R9 Equiv PER 2397 Rev0 415-0316 M74 DS Curb Mount with Amplifier ss.pdf](#)
[FL11480 R9 Equiv PER 2399 Rev0 Solatube 160 290 DS TDD ss.pdf](#)
[FL11480 R9 Equiv PER 2400 Rev0 Solatube 330 750 DS TDD ss.pdf](#)

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted 10/27/2015
 Date Validated 11/02/2015
 Date Pending FBC Approval 11/02/2015
 Date Approved 12/15/2015

Summary of Products

FL #	Model, Number or Name	Description
11480.1	160 DS TDD	Impact 160 DS (10") Tubular Daylight Device - HVHZ
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +70/-70 Other:		Installation Instructions FL11480 R9 II SOLA0004 Rev D ss.pdf Verified By: Robert J. Amoruso, P.E. FL License No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL11480 R9 AE PER 1971 Rev3 415-0316 SOLA0004 ss.pdf Created by Independent Third Party: Yes
11480.2	160 DS TDD	Non-Impact 160 DS (10") Tubular Daylight Device - Non-HVHZ
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +70/-70 Other:		Installation Instructions FL11480 R9 II Model 160 DS TDD - Product Drawing Package.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL11480 R9 AE PER 2399 Rev0 Solatube 160 290 DS TDD ss.pdf Created by Independent Third Party: Yes
11480.3	290 DS TDD	Non-Impact 290 DS (14") Tubular Daylight Device - Non-HVHZ
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +70/-70 Other:		Installation Instructions FL11480 R9 II Model 290 DS TDD - Product Drawing Package.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL11480 R9 AE PER 2399 Rev0 Solatube 160 290 DS TDD ss.pdf Created by Independent Third Party: Yes
11480.4	290 DS TDD	Impact 290 DS (14") Tubular Daylight Device - HVHZ
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes		Installation Instructions FL11480 R9 II SOLA0004 Rev D ss.pdf Verified By: Robert J. Amoruso, P.E. FL License No. 49752 Created by Independent Third Party: Yes

	Design Pressure: +70/-70 Other:	Evaluation Reports FL11480 R9 AE PER 1971 Rev3 415-0316 SOLA0004 ss.pdf Created by Independent Third Party: Yes
11480.5	330 DS TDD	Non-Impact 330 DS (21") Tubular Daylight Device - Non-HVHZ
	Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +70/-70 Other:	Installation Instructions FL11480 R9 II Model 330 DS TDD - Product Drawing Package.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL11480 R9 AE PER 2400 Rev0 Solatube 330 750 DS TDD ss.pdf Created by Independent Third Party: Yes
11480.6	750 DS TDD	Non-Impact 750 DS (21") Tubular Daylight Device - Non-HVHZ
	Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +70/-70 Other:	Installation Instructions FL11480 R9 II Model 750 DS TDD - Product Drawing Package.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL11480 R9 AE PER 2400 Rev0 Solatube 330 750 DS TDD ss.pdf Created by Independent Third Party: Yes
11480.7	750 DS TDD	Impact 750 DS (21") Tubular Daylight Device - HVHZ
	Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +70/-70 Other:	Installation Instructions FL11480 R9 II SOLA0005 Rev C ss.pdf Verified By: Robert J. Amoruso, P.E. FL License No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL11480 R9 AE PER 1973 Rev2 415-0316 SOLA0005 ss.pdf Created by Independent Third Party: Yes
11480.8	Smart LED	Smart LED 10" Tubular Daylight Device - HVHZ
	Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +70/-70 Other:	Installation Instructions FL11480 R9 II SOLA0008 RevB ss.pdf Verified By: Robert J. Amoruso, P.E. 49752 Created by Independent Third Party: Yes Evaluation Reports FL11480 R9 AE PER 2167 Rev2 415-0316 SOLA0008 ss.pdf Created by Independent Third Party: Yes
11480.9	Solatube M74 DS Curb Mount Open Ceiling TDD	Solatube M74 DS Curb Mount Open Ceiling TDD - Dual Glazed - HVHZ
	Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +80/-80 Other:	Installation Instructions FL11480 R9 II M74 DS-O-DPP-FC-B-L2-REG FBC-PER2396 ss.pdf Verified By: Robert J. Amoruso, P.E. FL License No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL11480 R9 AE PER 2396 Rev0 415-0316 M74 DS Curb Mount Open Ceiling ss.pdf Created by Independent Third Party: Yes
11480.10	Solatube M74 DS Curb Mount Open Ceiling TDD	Solatube M74 DS Curb Mount Open Ceiling TDD - Single Glazed - HVHZ
	Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +80/-80 Other:	Installation Instructions FL11480 R9 II M74 DS-O-DP-FC-B-L2-REG FBC-PER2396 ss.pdf Verified By: Robert J. Amoruso, P.E. FL License No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL11480 R9 AE PER 2396 Rev0 415-0316 M74 DS Curb Mount Open Ceiling ss.pdf Created by Independent Third Party: Yes
11480.11	Solatube M74 DS Curb Mount Open Ceiling TDD with Amplifier	Solatube M74 DS Curb Mount Open Ceiling TDD with Amplifier - Dual Glazed - HVHZ
	Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes	Installation Instructions FL11480 R9 II M74 DS-O-DPP-FC-A-L2-REG FBC-PER2397 ss.pdf Verified By: Robert J. Amoruso, P.E. FL PE No. 49752 Created by Independent Third Party: Yes

Design Pressure: +80/-80 Other:		Evaluation Reports FL11480 R9 AE PER 2397 Rev0 415-0316 M74 DS Curb Mount with Amplifier ss.pdf Created by Independent Third Party: Yes
11480.12	Solatube M74 DS Curb Mount Open Ceiling TDD with Amplifier	Solatube M74 DS Curb Mount Open Ceiling TDD with Amplifier - Single Glazed - HVHZ
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +80/-80 Other:		Installation Instructions FL11480 R9 II M74 DS-O-DP-FC-A-L2-REG FBC-PER2397 ss.pdf Verified By: Robert J. Amoruso, P.E. FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL11480 R9 AE PER 2397 Rev0 415-0316 M74 DS Curb Mount with Amplifier ss.pdf Created by Independent Third Party: Yes

[Back](#)

[Next](#)

[Contact Us](#) :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S., must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

